



Printer Line

Enrich your desktop

Handle Color:



1. White



2. Black



3. Blue



4. Red



5. Lime Green



S-851



S-852



S-853



S-854

Mother Trish's Kitchen

16 Kensington High St.,
London W1S 1YF

TEL:020-7662345 FAX:020-7662348

S-855

	SIZE		PACKING
S-851	10 x 26 mm	S-851-7	
S-852	14 x 38 mm	S-852-7	
S-853	18 x 47 mm	S-853-7	
S-854	22 x 58 mm	S-854-7	
S-855	25 x 70 mm	S-855-7	
COLOR		1~5	

OPTION:

S-851-8 ~ S-855-8 Bottom Cover



S-814

S-814

SIZE OF IMPRINT	8 x 14 mm
SPARE PAD	S-814-7
PACKAGING	
COLOR	1~5

Bottom Cover is included in S-814

Identity Series Trim Plate



TP-001
black background white line



TP-002
black background yellow line



TP-003
black background lime green line



TP-004
black background fuchsia line



TP-005
black background red line

Printer Line

S-814 / S-851~S-855 Self-Inking Stamp

COLOR: 1~13

1.White 2.Black 3.Blue 4.Yellow 5.Red 6.Fuchsia
7.Forest Green 8.African Violet 9.Ruby 10.Amethyst
11.Peridot 12.Topaz 13.Aquamarine



Imprint size

S-841

S-842

Mr. & Mrs. John Smith
1234 S. Main St.
Mayville, CA 94567

S-843

S-844

S-845

Printer Line

- New streamlined, sleek, attractive design
- Ultrasmooth and quiet action
- Sturdy construction provides durability and consistently superior impression quality
- Top view index labeling system for better legibility and easier assembly
- Same impression sizes and same replacement pads as the previous design

	SIZE		PACKAGING
S-841	10 x 26 mm	S1821-7	S1821-8
S-842	14 x 38 mm	S1822-7	S1822-8
S-843	18 x 47 mm	S1823-7	S1823-8
S-844	22 x 58 mm	S1824-7	S1824-8
S-845	25 x 70 mm	S1825-7	S1825-8





S-841L



S-846

	SIZE			PACKAGING
S-841L	10 x 30 mm	S821L-7	S821L-8	
S-846	27 x 65 mm	S-846-7		
COLOR	1~4			



S-835



S-835D

S-835 / S-835D

SIZE OF IMPRINT	20 x 30 mm
SPARE PAD	S-835-7 
PACKAGING	
COLOR	1~4



S-838



S-838

SIZE OF IMPRINT	31 x 35 mm
SPARE PAD	S-838-7 
PACKAGING	
COLOR	1~4

OPTION:

S-838-8 Bottom Cover 



S-826



S-826D

S-826 / S-826D

SIZE OF IMPRINT	24 x 41 mm
SPARE PAD	S-826-7 
	(S-400-7B)
SPARE PAD	S-826D-7 
	(S-400-7C)
PACKAGING	
COLOR	1~4



S-836



S-836D

S-836 / S-836D

SIZE OF IMPRINT	30 x 45 mm
SPARE PAD	S-836-7 
SPARE PAD	S-836D-7 
PACKAGING	
COLOR	1~4



S-827

**S-827 / S-827D**

SIZE OF IMPRINT	30 x 50 mm
SPARE PAD	<u>S-827-7</u> 
SPARE PAD	<u>S-827D-7</u> 
PACKAGING	
COLOR	1~4



S-837

**S-837 / S-837D**

SIZE OF IMPRINT	40 x 50 mm
SPARE PAD	<u>S-837-7</u> 
SPARE PAD	<u>S-837D-7</u> 
PACKAGING	
COLOR	1~4



S-828

**S-828 / S-828D**

SIZE OF IMPRINT	33 x 56 mm
SPARE PAD	<u>S-828-7</u> 
SPARE PAD	<u>S-828D-7</u> 
PACKAGING	
COLOR	1~4



S-829

**S-829 / S-829D**

SIZE OF IMPRINT	40 x 64 mm
SPARE PAD	<u>S-829-7</u> 
SPARE PAD	<u>S-829D-7</u> 
PACKAGING	
COLOR	1~4



S-834

KEY POINT INT'L CORP.
9F, NO. 6, LANE 142, SEC. 3,
DA-AN P
TEL/FAX: 0
-- W

29 JUN 2029

S-834D

S-834 / S-834D

SIZE OF IMPRINT	30 x 65 mm
SPARE PAD	S-834-7
SPARE PAD	S-834D-7
PACKAGING	
COLOR	1~4

Printer Line

Self-Inking Stamp / Self-Inking Dater / Self-Inking Number

S-830



BLUEVISION CAFE
Home - Made Apple Pie
23
Tel: 0

29 JUN 2029

S-830D

S-830 / S-830D

SIZE OF IMPRINT	38 x 75 mm
SPARE PAD	S-830-7
SPARE PAD	S-830D-7
PACKAGING	
COLOR	1~4



S-830DL



S-830DR



S-830DD



S-830NN

Special characters:



(Also available with number bands.)



S-820

S-815

S-510

S-515

S-520

	SIZE		COLOR	PACKAGING
S-820	6x12 mm	S-820-7	1~9	
S-815	8x15 mm	S-815-7	1~4	
S-510	12x12 mm	S-510-7	1~4	
S-515	15x15 mm	S-515-7	1~4	
S-520	20x20 mm	S-520-7	1~4	


Bottom cover is included in these 5 models.



S-820: 1.Black 2.Blue 3.Yellow 4.Red 5.Ruby
6.Amethyst 7.Peridot 8.Topaz 9.Aquamarine



S-524



29 JUN '29

S-524D

S-524 / S-524D

SIZE OF IMPRINT	24 x 24 mm
SPARE PAD	S-524-7
PACKAGING	
COLOR	1~4

OPTION:
S-524-8 Bottom Cover



S-530



S-530D

S-530 / S-530D

SIZE OF IMPRINT	32 x 32 mm
SPARE PAD	<u>S-530-7</u> 
PACKAGING	
COLOR	1~4



S-538



S-538D

S-538 / S-538D

SIZE OF IMPRINT	38 x 38 mm
SPARE PAD	<u>S-538-7</u> 
SPARE PAD	<u>S-538D-7</u> 
PACKAGING	
COLOR	1~4
OPTION:	
S-538-8 Bottom Cover	



S-542



S-542D

S-542 / S-542D

SIZE OF IMPRINT	42 x 42 mm
SPARE PAD	<u>S-542-7</u> 
SPARE PAD	<u>S-542D-7</u> 
PACKAGING	
COLOR	1~4
OPTION:	
S-542-8 Bottom Cover	



S-308

S-308

SIZE OF IMPRINT	10 x 45 mm
SPARE PAD	<u>S-308-7</u> 
PACKAGING	
COLOR	1~4



SIZE OF IMPRINT	13 x 54 mm
SPARE PAD	<u>S-311-7</u> 
PACKAGING	
COLOR	1~4

/ / / / / / / / / / / / / / / /
 - - - - -

PAID 29 JUN 2029




SIZE OF IMPRINT	10 x 70 mm
SPARE PAD	<u>S-831-7</u> 
PACKAGING	
COLOR	1~4



SIZE OF IMPRINT	15 x 75 mm
SPARE PAD	<u>S-832-7</u> 
PACKAGING	
COLOR	1~4



SIZE OF IMPRINT	25 x 82 mm
SPARE PAD	<u>S-833-7</u> 
PACKAGING	
COLOR	1~4



TRI-45 / TRI-45D

SIZE OF IMPRINT	45 x 45 x 45 mm
SPARE PAD	TRI-45-7 
PACKAGING	
COLOR	1~4



O-3045 / O-3045D

SIZE OF IMPRINT	30 x 45 mm
SPARE PAD	O-3045-7 
SPARE PAD	O-3045D-7 
PACKAGING	
COLOR	1~4
OPTION:	O-3045-8 Bottom Cover 



O-3555 / O-3555D

SIZE OF IMPRINT	35 x 55 mm
SPARE PAD	O-3555-7 
SPARE PAD	O-3555D-7 
PACKAGING	
COLOR	1~4



R-512



R-517



R-517D



R-520

	SIZE		COLOR	PACKAGING
R-512	Ø 12 mm	R-512-7	1~9	
R-517	Ø 17 mm	R-517-7	1~4	
R-517D	Ø 17 mm	R-517D-7	1~4	
R-520	Ø 20 mm	R-520-7	1~4	

Bottom cover is included in R-512 and R-517D.



R-512: 1.Black 2.Blue 3.Yellow 4.Red 5.Ruby 6.Amethyst
7.Peridot 8.Topaz 9.Aquamarine

OPTION: R-520-8 Bottom Cover for R-520
R-517-8 Bottom Cover for R-517





R-524 / R-524D

SIZE OF IMPRINT	Ø 24 mm
SPARE PAD	R-524-7 
PACKAGING	
COLOR	1~4



R-525D

SIZE OF IMPRINT	Ø 25 mm
SPARE PAD	R-525-7 
PACKAGING	
COLOR	1~4

Bottom cover is included in R-525D.



R-532 / R-532D

SIZE OF IMPRINT	Ø 32 mm
SPARE PAD	R-532-7 
SPARE PAD	R-532D-7 
PACKAGING	
COLOR	1~4

OPTION:
R-532-8 Bottom Cover



R-538 / R-538D

SIZE OF IMPRINT	Ø 38 mm
SPARE PAD	R-538-7 
SPARE PAD	R-538D-7 
PACKAGING	
COLOR	1~4

OPTION:
R-538-8 Bottom Cover





R-542

R-542D

R-542 / R-542D

SIZE OF IMPRINT	Ø 42 mm
SPARE PAD	R-542-7 
SPARE PAD	R-542D-7 
PACKAGING	
COLOR	1~4
OPTION:	R-542-8 Bottom Cover 



R-546

R-546D

R-546 / R-546D

SIZE OF IMPRINT	Ø 46 mm
SPARE PAD	R-546-7 
SPARE PAD	R-546D-7 
PACKAGING	
COLOR	1~4
OPTION:	R-546-8 Bottom Cover 



R-552

R-552D

R-552 / R-552D

SIZE OF IMPRINT	Ø 52 mm
SPARE PAD	R-552-7 
SPARE PAD	R-552D-7 
PACKAGING	
COLOR	1~4
OPTION:	R-552-8 Bottom Cover 



R-542D-T12

R-542D-T24

R-542D-T12 / R-542D-T24

SIZE OF IMPRINT	Ø 41 mm
SPARE PAD	R-542D-7 
PACKAGING	
COLOR	1~4
OPTION:	R-542-8 Bottom Cover 

Note: The die thickness of the R-542D-T12 / R-542D-T24 stamp must be 2.4~2.5mm.

S-300 + 
29 JUN 2029



S-301D + 
7 x 23 mm
CHECKED
29 JUN 2029

4 in1 Mini Dater S-303 + 
PAID
29 JUN 2029
.....
RECEIVED
FAXED
e-mailed

S-309 + 
1 2 3 4 5 6
Special characters:
No.
\$

S-302D + 
5 x 23 mm
29 JUN 2029
5 x 23 mm

S-304 + 
AIR MAIL
APPROVED
CANCELLED
CONFIDENTIAL
CONFIRMATION
COPY
CHECKED
FILE COPY
FIRST CLASS
CREDIT
OVERDUE
URGENT!

Mini Dater
S-300 / S-301D / S-302D
S-303 / S-304 / S-309

SPARE PAD	S-300-7	
SPARE PAD	S-303-7	
PACKAGING	 	
COLOR	1~4	

S-400 + 
29 JUN 2029



S-409 + 
1 2 3 4 5 6
Special characters:
No. . . . Kg
\$ - X ¢ ½ %

S-401 + 
PAID
29 JUN 2029
BY:

S-414 + 
AIR MAIL
APPROVED
CANCELLED
CONFIDENTIAL
CONFIRMATION
COPY
CHECKED
FILE COPY
FIRST CLASS
CREDIT
OVERDUE
URGENT!

S-449 + 
1 2 3 4 5 6 7 8 9
Special characters:
/ / / / / / / /

S-402 **RECEIVED** 29 JUN 2029 BY:
S-403 **FAXED** 29 JUN 2029 BY:
S-404 **APPROVED** 29 JUN 2029 BY:
S-405 **PAYMENT DUE** 29 JUN 2029 PLEASE REMIT
S-406 **POSTED** 29 JUN 2029
S-407 **ENTERED** 29 JUN 2029 BY:
S-408 **ENTERED** 29 JUN 2029
S-410 **EMAILED** 29 JUN 2029 BY:
35% scale

S-400 ~ S-410 Date Printer
S-414 / S-449

SPARE PAD	S-400-7	
SPARE PAD	S-400-7D	
PACKAGING	 	
COLOR	1~4	



S-311 + 
29 JUN 2029 - 29 AUG 2029

S-312 +  or 
PAID FAXED REVISED
E-MAILED RECEIVED SHIPPED
URGENT! APPROVED CHECKED
CANCELLED OVERDUE COMPLETED
PAID 29 JUN 2029

S-313 + 
1 2 3 4 5 6 7 8 9 0 1 2 3
Special characters:
/ / / / / / / /

S-314 +  or 
29 JUN 2029

Die Plate: Max. 10 x 25 mm
(S-314 in Boxed packaging only)

S-311 / S-312
S-313 / S-314 Date Printer

SPARE PAD	S-311-7	
SPARE PAD	S-311-7B	
PACKAGING	 	
COLOR	1~4	

S-□□□ : Self-Inking Stamp

Recommendation for die thickness: 2.3~2.6 mm

SP-□□□ : Pre-Inked Stamp

Recommendation for flash die thickness: 3.0~4.5 mm

Handy Stamp with style

An evolution from the renowned original Handy Stamp



Portable Yet Durable

A patented device for mobility, unique mechanism design for operations to be easily made by one hand. Only 1/4 size of an ordinary stamp, perfect to carry around.

COLOR: 1~11

1.Black 2.Blue 3.Fuchsia 4.Pink Pion 5.Green 6.African Violet
7.Ruby 8.Amethyst 9.Aquamarine 10.Gold 11.Silver



	SIZE		COLOR	PACKAGING
S-722	14x38 mm	S-1722-7	1~11	
S-723	18x47 mm	S-1723-7	1~11	
S-724	25x58 mm	S-1724-7	1~11	

	SIZE	COLOR	PACKAGING
SP-722	14x38 mm	1~11	
SP-723	18x47 mm	1~11	
SP-724	25x58 mm	1~11	



S-722 / SP-722



S-723 / SP-723



S-724 / SP-724

- **Smart** unique design for easy handling
- **Compact** perfect to carry around
- **Innovative** a patented device for mobility



S-Q12 / SP-Q12



S-Q17 / SP-Q17



S-Q24 / SP-Q24

	SIZE	PACKAGING
S-Q12	12x12 mm	S-Q12-7
SP-Q12	12x12 mm	
S-Q17	17x17 mm	S-Q17-7
SP-Q17	17x17 mm	
S-Q24	24x24 mm	S-Q24-7
SP-Q24	24x24 mm	

COLOR · 1~8

1.Black 2.Blue 3.Yellow 4.Red 5.Sky Blue
6.Lavender 7.Spring Green 8.Sea Green



S-Q32 / SP-Q32



S-Q32F


S-Q32 / S-Q32F SP-Q32

SIZE OF IMPRINT	32 x 32 mm
SPARE PAD	S-Q32-7
SPARE PAD	S-Q32-7F
PACKAGING	
COLOR	1~4

1.Black 2.Blue 3.Yellow 4.Red



S-Q42 / SP-Q42



S-Q42F

S-Q42 / S-Q42F SP-Q42

SIZE OF IMPRINT	42 x 42 mm
SPARE PAD	S-Q42-7
SPARE PAD	S-Q42-7F
PACKAGING	
COLOR	1~4

1.Black 2.Blue 3.Yellow 4.Red

Handle Color:



1.White



2.Black



3.Fuchsia




4.Green





5.Aquamarine





6.Ruby



To insert a new ink pad



To dispose the used ink pad



Elite Stamp



▪ EL : Self-Inking Stamp

▪ ELF : Pre-Inked Stamp



EL-42



ELF-42

EL-42 Self-Inking Stamp

SIZE OF IMPRINT Ø 42 mm

SPARE PAD Elite-42-7

PACKAGING

COLOR 1-6

compatible with Ø 42mm Ø 32mm

ELF-42 Pre-Inked Stamp

SIZE OF IMPRINT Ø 42 mm

PACKAGING

COLOR 1-6

compatible with Ø 42mm Ø 32mm



NTbac Line


In our daily life, we are surrounded by many unseen bacteria. These unseen bacteria could survive up to 3 days under ideal growth conditions.

Shiny's NTbac Line has fungistatic agent built-in during the manufacturing process. It has the ability to reduce up to 99.99% of bacteria.

The SGS report can be downloaded from the link below.

www.shinystamp.com/antibac.htm

Test Requested & Method: Reference U.S. Pharmacopeia 26 NF 21 Microbiological Tests (51) Antimicrobial Effectiveness Testing.



★ This stamp has been treated with a fungistatic agent to protect the product from fungal growth.

This agent also retards the growth and action of bacterial odors.



NTbac Line / Heavy Metal

Self-Inking Stamp / Self-Inking Dater



1. White

2. Black



3. Blue

4. Red

	SIZE		COLOR	PACKAGING
A-841	10 x 26 mm	S1821-7	1~4	
A-842	14 x 38 mm	S1822-7	1~4	
A-843	18 x 47 mm	S1823-7	1~4	
A-844	22 x 58 mm	S1824-7	1~4	
A-845	25 x 70 mm	S1825-7	1~4	
A-846	27 x 65 mm	S-846-7	1~4	

Imprint size

LIVE
STREAMING

A-841

FITNESS
FACTORY

A-842

OCTOCAT STUDIO

A-843

KEY POINT
INT'L CORP
www.keypoint.com
— Alexandra —

A-844

NATURAL DEVBRIDGE
www.naturaln01.com
450 N. Paulina St., Suite 2N
Chicago, IL 60633
• Office: (312) 243-1624
• Mobile: (649) 7760-2881

A-845

Luxury
boutique
No. 223, Humei 1st St., West
Central Dist., Tainan City 700,
Tel: +886 6 220 2286 Fax: +886 6 220 2265

A-846



A-300

29 JUN 2029

A-309

1 2 3 4 5 6

Special characters:

No. . , - *
\$ - - - -

A-300 / A-309 Mini Dater

SPARE PAD S-300-7

PACKAGING

COLOR 1~3



1 Black 2 Blue 3 Red



A-400

29 JUN 2029

A-409

1 2 3 4 5 6

Special characters:

No. . , . Kg
\$ - X ¢ ½ %

A-414

AIR MAIL

AIR MAIL CHECKED
APPROVED FILE COPY
CANCELLED FIRST CLASS
CONFIDENTIAL CREDIT
CONFIRMATION OVERDUE
COPY URGENT!

Date Printer

A-400 / A-409 / A-414

SPARE PAD S-400-7

PACKAGING

COLOR 1~3



1 Black 2 Blue 3 Red


Coffee
HOUSE

A-722

DOLORES
FOOD & DRINKS
OPEN: 3 P.M. ~ 9 P.M.
No. 401, Daxue Rd., East Dist.,
Tainan City 701
Tel: +886 6 230 2286

A-723

	SIZE		PACKAGING
A-722	14 x 38 mm	S-1722-7	
A-723	18 x 47 mm	S-1723-7	



ECOLine



Fungistatic agent built-in



Heavy Metal

- Metal
- Recycled PET
- Metal
- Soft rubber feet




1 2 3 4 5 6

With Die Plate

1 2 3 4 5 6

Without Die Plate
(Bands Only)

HM-6000



HM-61008

1 2 3 4 5 6 7 8

Special characters:

- - - - -
/ / / / /

HM-6000 / HM-6100

SIZE OF IMPRINT	24 x 41 mm
SPARE PAD	900-7
SPARE PAD	910-7
PACKAGING	

HM-6446/PL

1 2 3 4 5 6

Special characters:

No / / . % Kg
St - - F 1/2 %
. X ¢ % /
\$

2 9 JUN 2029

HM-6100

HM-6001



HM-61106

1 2 3 4 5 6

Special characters:

\$
- - - - -

HM-6001 / HM-6101

SIZE OF IMPRINT	32 x 38 mm
SPARE PAD	6001-7
SPARE PAD	6101-7
PACKAGING	

2 9 JUN 2029

HM-6101

HM-6003



HM-61306

1 2 3 4 5 6

Special characters:

No / / . % Kg
St - - F 1/2 %
. X ¢ % /
\$

HM-6003 / HM-6103

SIZE OF IMPRINT	30 x 50 mm
SPARE PAD	903-7
SPARE PAD	913-7
PACKAGING	

2 9 JUN 2029

HM-6103

HM-61308

1 2 3 4 5 6 7 8

Special characters:

- - - - -
/ / / / /

NTbac Line / Heavy Metal

Self-Inking Stamp / Self-Inking Dater

HM-6004



HM-61406

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-6004 / HM-6104

SIZE OF IMPRINT 26 x 56 mm

SPARE PAD 906-7

SPARE PAD 916-7

PACKAGING

HM-6005



HM-61506

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-6005 / HM-6105

SIZE OF IMPRINT 45 x 45 mm

SPARE PAD 905-7

SPARE PAD 915-7

PACKAGING

HM-6006



HM-61606

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-6006 / HM-6106

SIZE OF IMPRINT 33 x 56 mm

SPARE PAD 906-7

SPARE PAD 916-7

PACKAGING

HM-6007



HM-61706

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-6007 / HM-6107

SIZE OF IMPRINT 40 x 60 mm

SPARE PAD 907-7

SPARE PAD 917-7

PACKAGING

HM-6008



HM-61806

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-6008 / HM-6108

SIZE OF IMPRINT 47 x 68 mm

SPARE PAD 908-7

SPARE PAD 918-7

PACKAGING

HM-61808

1 2 3 4 5 6 7 8

Special characters:

- - - - -
/ / / / / / / /

HM-6108

HM-6118DD

29 JUN 2029 29 JUN 2029
123456 123456

Special characters:

\$
- - - - -

HM-6118DL
(dater at left)
HM-6118DR
(dater at right)

29 JUN 2029 29 JUN 2029
123456 123456

(Also available with number bands.)

HM-6708/PL 5mm-8 bands with plate



HM-6710/PL 5mm-10 bands with plate

HM-6708/PL
Special characters:

N° / / / / , ¼ Kg
€ - - - - F ½ %
. . . X ¢ % /
\$

HM-6710/PL
Special characters:

N° / / / / / , / /
€ - - - - - F - -
. ¢ . .
\$

HM-6708/PL HM-6710/PL

SIZE OF IMPRINT	40 x 60 mm
SPARE PAD	907-7
PACKAGING	

Note: The die thickness of the HM-6708/PL / HM-6710/PL stamp must be 2.3mm.

HM-6558/PL 5mm-8 bands with plate



HM-6510/PL 5mm-10 bands with plate

HM-6558/PL
Special characters:

N° / / / / , ¼ Kg
€ - - - - F ½ %
. . . X ¢ % /
\$

HM-6510/PL
Special characters:

N° / / / / / , / /
€ - - - - - F - -
. ¢ . .
\$

HM-6558/PL HM-6510/PL

SIZE OF IMPRINT	33 x 56 mm
SPARE PAD	906-7
PACKAGING	

Note: The die thickness of the HM-6558/PL / HM-6510/PL stamp must be 2.3mm.

HM-6416/PL 4mm-16 bands with plate



HM-6418/PL 4mm-18 bands with plate

HM-6416/PL
Special characters:

! / / . , . % ¢ ! / / . , . % ¢
€ - - - F - ½ % € - - - F - ½ %
. . X ¢ X % h # . . X ¢ X % h
\$ \$

HM-6418/PL
Special characters:

! / / / . , . % ¢ ! / / / . , . % ¢
€ - - - - F - ½ % € - - - - F - ½ %
. . . X ¢ X % h # . . . X ¢ X % h
\$ \$

HM-6416/PL HM-6418/PL

SIZE OF IMPRINT	30 x 68 mm
SPARE PAD	908-7
PACKAGING	

Note: The die thickness of the HM-6416/PL / HM-6418/PL stamp must be 2.3mm.

HM-6009



HM-6109-T12

HM-6109



HM-6109-T24

HM-6009 / HM-6109

SIZE OF IMPRINT	Ø 45 mm
SPARE PAD	6009-7
SPARE PAD	6109-7
PACKAGING	

HM-6109-T12 HM-6109-T24

SIZE OF IMPRINT	Ø 41 mm
SPARE PAD	6109-7
PACKAGING	

Note: The die thickness of the HM-6109-T12 / HM-6109-T24 stamp must be 2.4-2.5mm.



HM-6014



HM-6014 / HM-6114

SIZE OF IMPRINT	60 x 90 mm
SPARE PAD	6014-7
SPARE PAD	6114-7
PACKAGING	

HM-61146

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-61148

1 2 3 4 5 6 7 8

Special characters:

- - - - -
/ / / / /

HM-6114DD



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$



HM-6114DL (dater at left)
HM-6114DR (dater at right)

(Also available with number bands.)

HM-6015



HM-6015 / HM-6115

SIZE OF IMPRINT	65 x 116 mm
SPARE PAD	6015-7
SPARE PAD	6115-7
PACKAGING	

HM-61156

1 2 3 4 5 6

Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

HM-61158

1 2 3 4 5 6 7 8

Special characters:

- - - - -
/ / / / /

HM-6115DD



HM-6115DL (dater at left)
HM-6115DR (dater at right)



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

(Also available with number bands.)

Soft Handle

The handle will not cramp your hands, and the soft material provides a comfortable feel.

Elegant Design

The metal frame structure leads to an elegant feeling of design that sets apart from the stereotype.

Lock Button

The lock ensures easy operation for stamp makers, and for the users when changing ink pad and adjusting dates or numbers.

Solid Structure

The curved metal frame ensures durability for frequent use. The silent device allows quieter and smoother movement.

The Essential Line and Heavy Duty also feature non-slipping feet that keep the stamp in place while making imprints.

Full Size Display Window

Full-size display window clearly shows the actual impression of the stamp.

Band Cover

Our 12-years date bands (guaranteed minimum of 11 years) have a protective cover, thus making it impossible to contaminate your fingers when changing dates.



Essential Line



Heavy Duty

Essential Line Heavy Duty

ERG-01 ergo handle installation:



ERG-01 Ergo Handle

SIZE 42.5 x 128 x 38.8 mm

COLOR Black

ERG-01 ergo handle can be used on Essential Line, Heavy Duty and Heavy Metal self-inking stamps.



Essential Line



Heavy Duty

Item number is distinguished by **E** and **H**

1 2 3 4 5 6

With Die Plate

1 2 3 4 5 6

Without Die Plate (Bands Only)

H-6000 · E-900



H-6100 · E-910

H-6440 · E-940

2 9 JUN 2029

H-61008 · E-91008

1 2 3 4 5 6 7 8

H-6446/PL · E-946/PL

1 2 3 4 5 6

H-6446 · E-946

1 2 3 4 5 6

Special characters:

- - - - -
/ / / / /

Special characters:

No / / . % Kg
St. - - F 1/2 %
. X ¢ 3/4 /
\$

Special characters:

No Kg
\$ - X ¢ 1/2 %

H-6000 / H-6100

E-900 / E-910

SIZE OF IMPRINT 24 x 41 mm

SPARE PAD 900-7

SPARE PAD 910-7

PACKAGING


H-6440 / H-6446

E-940 / E-946

SPARE PAD 946-7

PACKAGING

H-6001 · E-901



H-61106

1 2 3 4 5 6

Special characters:

\$
- - - - -

H-6101 · E-911

H-6001 / H-6101

E-901 / E-911

SIZE OF IMPRINT 32 x 38 mm

SPARE PAD 6001-7

SPARE PAD 6101-7

PACKAGING

H-6003 · E-903



H-6103 · E-913

H-61306 · E-91306



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

H-61308 · E-91308



Special characters:

- - - - -
/ / / / / / / /

H-6003 / H-6103
E-903 / E-913


SIZE OF IMPRINT 30 x 50 mm

SPARE PAD 903-7

SPARE PAD 913-7

PACKAGING

H-6004 · E-904



H-6104 · E-914


H-61406 · E-91406



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

H-61408 · E-91408



Special characters:

- - - - -
/ / / / / / / /

H-6004 / H-6104
E-904 / E-914


SIZE OF IMPRINT 26 x 56 mm

SPARE PAD 906-7

SPARE PAD 916-7

PACKAGING

H-6005 · E-905



H-6105 · E-915

H-61506 · E-91506



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

H-61508 · E-91508



Special characters:

- - - - -
/ / / / / / / /

H-6005 / H-6105
E-905 / E-915

SIZE OF IMPRINT 45 x 45 mm

SPARE PAD 905-7

SPARE PAD 915-7


PACKAGING

H-6006 · E-906



H-6106 · E-916

H-61606 · E-91606



Special characters:

No / / . % Kg
St. - - F ½ %
. X ¢ % /
\$

H-61608 · E-91608



Special characters:

- - - - -
/ / / / / / / /

H-6006 / H-6106
E-906 / E-916

SIZE OF IMPRINT 33 x 56 mm

SPARE PAD 906-7

SPARE PAD 916-7

PACKAGING

H-6007 · E-907



H-6107 · E-917

H-61706 · E-91706



Special characters:

Nº / / / , ¼ Kg
 St. - - - F ½ %
 # . X ¢ % /
 \$

H-6007 / H-6107
E-907 / E-917

SIZE OF IMPRINT 40 x 60 mm

SPARE PAD 907-7

SPARE PAD 917-7

PACKAGING


H-61708 · E-91708



Special characters:

- - - - -
 / / / / / / / /

H-6008 · E-908



H-6108 · E-918

H-6008 / H-6108
E-908 / E-918


SIZE OF IMPRINT 47 x 68 mm

SPARE PAD 908-7

SPARE PAD 918-7

PACKAGING

H-61808 · E-91808



Special characters:

- - - - -
 / / / / / / / /

H-61806 · E-91806



Special characters:

Nº / / / , ¼ Kg
 St. - - - F ½ %
 # . X ¢ % /
 \$

E-918DN
(dater / number)E-918ND
(number / dater)

H-6118DD · E-918DD

H-6118DL · E-918DL
(dater at left)H-6118DR · E-918DR
(dater at right)

(Also available with number bands.)

Special characters:

\$
 - - - - -

H-6708/PL · E-9708/PL 5mm-8 bands with plate



H-6710/PL · E-9710/PL 5mm-10 bands with plate

Special characters:

Nº / / / / , ¼ Kg
 € - - - - - F ½ %
 # X ¢ % /
 \$

Special characters:

Nº / / / / / / , / /
 € - - - - - F - -
 # ¢ . .
 \$

H-6708/PL / H-6710/PL
E-9708/PL / E-9710/PL

SIZE OF IMPRINT 40 x 60 mm

SPARE PAD 907-7

PACKAGING

Note: The die thickness of the
 H-6708/PL / E-9708/PL
 H-6710/PL / E-9710/PL
 stamp must be 2.3mm.

H-6558/PL · E-958/PL 5mm-8 bands with plate



H-6510/PL · E-9510/PL 5mm-10 bands with plate

Special characters:

Nº / / / / , ¼ Kg
 € - - - - - F ½ %
 # X ¢ % /
 \$

Special characters:

Nº / / / / / / , / /
 € - - - - - F - -
 # ¢ . .
 \$

H-6558/PL / H-6510/PL
E-958/PL / E-9510/PL

SIZE OF IMPRINT 33 x 56 mm

SPARE PAD 906-7

PACKAGING

Note: The die thickness of the
 H-6558/PL / E-958/PL
 H-6510/PL / E-9510/PL
 stamp must be 2.3mm.

H-6558 · E-958 5mm-8 bands
 0 1 2 3 4 5 6 7 8 9
 H-6510 · E-9510 5mm-10 bands

PAID 29 JUN 2029
 H-6770 · E-970 Phrase & Dater

H-6558 / H-6510 / H-6770	
E-958 / E-9510 / E-970	
SPARE PAD	9510-7 
PACKAGING	

H-6416/PL · E-9416/PL 4mm-16 bands with plate



H-6418/PL · E-9418/PL 4mm-18 bands with plate

H-6416 · E-9416 4mm-16 bands
 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7
 H-6418 · E-9418 4mm-18 bands

Special characters:

/ . , % ' / . , % ' / . , % '
 € --- F - ½ % € --- F - ½ %
 # . . X X X X # . . X X X X
 \$ \$

H-6416/PL / H-6418/PL
 E-9416/PL / E-9418/PL

SIZE OF IMPRINT	30 x 68 mm
SPARE PAD	908-7 
PACKAGING	

Note: The die thickness of the H-6416/PL / E-9416/PL H-6418/PL / E-9418/PL stamp must be 2.3mm.

H-6416 / H-6418
 E-9416 / E-9418

SPARE PAD	9418-7 
PACKAGING	



H-6009

H-6109

H-6009 / H-6109

SIZE OF IMPRINT	Ø 45 mm
SPARE PAD	6009-7 
SPARE PAD	6109-7 
PACKAGING	



H-6109-T12

H-6109-T24

H-6109-T12
 H-6109-T24

SIZE OF IMPRINT	Ø 41 mm
SPARE PAD	6109-7 
PACKAGING	

Note: The die thickness of the H-6109-T12 / H-6109-T24 stamp must be 2.4~2.5mm.



H-6010

H-6110

H-6010 / H-6110

SIZE OF IMPRINT	Ø 42 mm
SPARE PAD	6009-7 
SPARE PAD	6109-7 
PACKAGING	